



GM EXTENDED SAVANA/EXPRESS

WALL LINER INSTALLATION


INSTRUCTIONS



NOTES:

1. Before commencing, remove all wall liners and "D" Rings already installed in the vehicle.
2. Consult layout PDF and compare vehicle layout
3. Prepare hardware shown below and have them ready for installation.
4. Wall liners will be installed in the order shown in the instructions.
5. A drill with a Phillips driver is required to install hardware (**C**) #8 Screws, shown below.
6. Reinstall all "D" Rings once the wall liner kit installation is completed.

Hardware




A) 3/8" Retainer

B) #8 Screw Cap

C) #8 Screw

D) 1/4" Retainer

GM EXTENDED SAVANA/EXPRESS ROOF WALL LINERS



ITEM NO.	DESCRIPTION	QTY.
1	GREY REAR DRIVER SIDE PANEL GM EXT. SAVANA/EXPRESS	1
2	GREY FRONT DRIVER SIDE PANEL GM EXT. SAVANA/EXPRES	1
3	GREY PASSENGER SIDE PANEL GM EXT. SAVANA/EXPRESS	1
4	GREY CEILING PANEL EXT. SAVANA - EXPRESS SIDE BARN DOORS	1
5	3/8" RETAINER- BLACK NYLON	12
6	CEILING SILL A - GM EXT. SAVANA/EXPRESS	1
7	CEILING SILL B - GM EXT. SAVANA/EXPRESS	1
8	CEILING SILL C - GM EXT. SAVANA/EXPRESS	1
9	GREY REAR CEILING PANEL GM EXT. SAVANA/EXPRESS	1
10	FLOOR - EXT. GM SAVANA/EXPRESS	1
11	SCREW - PHIL. PAN HD #8X.75 SELF DRILLING	122
12	CEILING SILL A-1 - GM EXT. SAVANA/EXPRESS	1
13	REAR FLOOR SILL GM SAVANA/EXPRESS	1
14	GREY DRIVER SIDE REAR DOOR PILAR PANEL - GM SAVANA-EXPRESS	1
15	GREY PASSENGER SIDE REAR DOOR PILAR PANEL - GM SAVANA-EXPRESS	1
16	SCREW CAP	85
17	FLOOR SILL SIDE DOOR NISSAN NV	1
18	GREY REAR PASSENGER SIDE WINDOW PANEL GM SAVANA-EXPRESS	1
19	GREY REAR DRIVER SIDE WINDOW PANEL GM SAVANA - EXPRESS	1
20	GREY SIDE BARN DOOR PANEL CARGO SIDE GM SAVANA/EXPRESS	1
21	GREY SIDE BARN DOOR PANEL CABIN SIDE GM SAVANA/EXPRESS	1

Note:

Model may differ deper


ased.

Driver Side Wall Liner Installation

ITEM 1
REAR
DRIVERS
SIDE PANEL

FRONT


ITEM 2
FRONT
DRIVERS
SIDE PANEL



1: Install Item 1, Rear Driver Side Panels.

- Align wheel well edge of the panel with the feature on the vehicle; position the contour of the panel to the vehicle wall.
- Install hardware (B,C) in the holes provided, on the TOP of the panel first, working your way down the panel to the BOTTOM.
- **Install Item 2, Front Driver Side Panels.**
- Install hardware (B,C) in the holes provided, on the TOP of the panel first, working your way down the panel to the BOTTOM.



Installation completed



Back Door Wall Liner Installation

ITEM 18
REAR DOOR
PASSENGER SIDE
WINDOW PANEL

ITEM 19
REAR DOOR
DRIVERS SIDE
WINDOW PANEL




2: Install Item 18 and 19, Rear door window panels,

Note: Rear doors must be closed when installing door panels.

- Align the panels with the rear doors window contours; pre bend the tabs on all four sides of the panels and push the panel in the door window cavity.
- In the middle section push the panel towards the doors until it sits in the door cavity and install the hardware. Install hardware (B, C) on the bottom of the panel first, working your way up the panel to the top.

Installation completed





Rear Door Pilar Liner Installation

ITEM 15

REAR DOOR
PASSENGER SIDE
PILAR PANEL

ITEM 14

REAR DOOR
DRIVERS SIDE
PILAR PANEL




B, C

2: Install Item 18 and 19, Rear Door Pilar Panels,

- Align the panels with the rear doors Pilar contours;
- Install hardware (B, C) on the bottom of the panel first, working your way up the panel to the top.

Installation completed




Passenger Side and Sliding Door Wall Liner Installation

ITEM 20
SLIDING
DOOR
PANEL


FRONT

B, C


REAR



ITEM 3 PASSENGER SIDE
PANEL



Installation completed



3: Install Item 3, Passenger Side Panel.

- Align wheel well edge of the panel with the feature on the vehicle; position the contour of the panel to the vehicle wall.
- Install hardware (B,C), in the holes provided, on the bottom of the panel first, working your way up the panel to the top.
- **Install Item 20, Sliding Door Panel.** First remove OEM bottom panel. Note: Sliding door must be closed to install panel;
- Insert panel into the sliding door sill cavity, align holes at the bottom panel to the one on the door and insert hardware (A), 3/8 Retainer, in all of the holes 3/8 holes provided.
- Install hardware (D), 1/4 Retainers, in all of the 1/4 holes provided on the bottom half of the panel.
- Install hardware (B, C) first in the holes provided in the middle part of the upper section of the panel

Passenger Side and Barn Door Wall Liner Installation


ITEM 21
SIDE BARN
DOOR
WINDOW
PANEL
CABIN SIDE

ITEM 20
SIDE BARN
DOOR
WINDOW
PANEL
CARGO SIDE


FRONT

B, C

REAR



ITEM 3 PASSENGER SIDE
PANEL



B, C

4: Install Item 3, Passenger Side Panel.

- Align wheel well edge of the panel with the feature on the vehicle; position the contour of the panel to the vehicle wall.
- Install hardware (B,C), in the holes provided, on the bottom of the panel first, working your way up the panel to the top.
- **Install Item 20, 21, Side Barn Door Window Panels.**
- Align the panels with the side doors window contours; pre bend the tabs on all four sides of the panels and push the panel in the door window cavity.
- In the middle section push the panel towards the doors until it sits in the door cavity and install the hardware. Install hardware (B, C) on the bottom of the panel first, working your way up the panel to the top.

Installation completed

